



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/670,465	09/26/2003	Richard Gribbons	P1555	9317
28390	7590	10/11/2007	EXAMINER	
MEDTRONIC VASCULAR, INC. IP LEGAL DEPARTMENT 3576 UNOCAL PLACE SANTA ROSA, CA 95403			THANH, LOAN H	
			ART UNIT	PAPER NUMBER
			3763	
			NOTIFICATION DATE	DELIVERY MODE
			10/11/2007	ELECTRONIC

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

rs.vascilegal@medtronic.com

Office Action Summary	Application No.	Applicant(s)	
	10/670,465	GRIBBONS ET AL.	
	Examiner LoAn H. Thanh	Art Unit 3763	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --
Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) Responsive to communication(s) filed on 20 July 2007.
- 2a) This action is FINAL. 2b) This action is non-final.
- 3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) Claim(s) 1,4,6-8,10,11,34-37,39 and 40 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) Claim(s) 36,37,39 and 40 is/are allowed.
- 6) Claim(s) 1,4,7,8 and 35 is/are rejected.
- 7) Claim(s) 6,10,11 and 34 is/are objected to.
- 8) Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) The specification is objected to by the Examiner.
- 10) The drawing(s) filed on 09 February 2007 is/are: a) accepted or b) objected to by the Examiner.
 Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
 Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) All b) Some * c) None of:
 1. Certified copies of the priority documents have been received.
 2. Certified copies of the priority documents have been received in Application No. _____.
 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- * See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- 1) Notice of References Cited (PTO-892)
- 2) Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) Information Disclosure Statement(s) (PTO/SB/08)
 Paper No(s)/Mail Date 09/18/07.
 - 4) Interview Summary (PTO-413)
 Paper No(s)/Mail Date. _____.
 - 5) Notice of Informal Patent Application
 - 6) Other: _____.

DETAILED ACTION

Response to Amendment

The 112, 2nd paragraph rejection have been withdrawn in view of Applicant's amendment filed 02/09/07.

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

Claims 1,4,7 are rejected under 35 U.S.C. 102(b) as being anticipated by Chee et al. (US 6,315,757).

Chee et al. discloses a catheter having a proximal shaft having a guidewire (gw) and an inflation lumen and a distal shaft wherein the distal shaft has greater flexibility than the proximal shaft and a transition section having a spiral helix which provides for gradual increase in flexibility in the transition section. The spiral helix is partially free-floating within the inflation lumen. See figure 4.

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and

the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

Claim 8 is rejected under 35 U.S.C. 103(a) as being unpatentable over Chee et al. (US 6,315,757).

Chee et al. disclose the claimed invention except for the spiral helix material being a thermoplastic polymeric. Chee et al. disclose the material to be preferably metal alloys. It would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the material of Chee et al. with a thermoplastic polymer material which could be a more biodegradable material than metal, since it has been held to be within the general skill of a worker in the art to select a known material on the basis of its suitability for the intended uses as a matter of obvious engineering choice lacking any criticality. In re Leshin , 125 USPQ 416.

Allowable Subject Matter

Claims 6,10,11,34-35 are objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.

Claims 36-37,39-40 are allowable.

Response to Arguments

Applicant's arguments filed 07/20/07 have been fully considered but they are not persuasive. With respect to claims 1, 4,7-8, the examiner is maintaining the rejection. The Examiner is interpreting the claims in the broadest interpretation. Applicant is

Art Unit: 3763

specifically relying on shaft portions 102,104 and 106. The Examiner is taking a broader interpretation of the proximal , distal and transition portions of the catheter. As applicant has pointed out , the Examiner is relying on figure 4 having proximal portion , transition section and distal shaft portion

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to LoAn H. Thanh whose telephone number is (571) 272-4966. The examiner can normally be reached on Mon. - Fri. (First Friday off).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Nick Lucchesi can be reached on (571) 272-4977. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 3763

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/LoAn H. Thanh/

LoAn H. Thanh
Primary Examiner
Art Unit 3763

LT